(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Page 1 of 12

Revision date: 09/03/2021

SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: COLBAIX FIBERCOLLE GEL

Product Code: CX-76

Interb Code: CX76GNF2704A20

1.2 Relevant identified uses of the mixture and uses advised against.

Vinyl glue for decorative fibreglass.

We recommend to read its Technical Data Sheet carefully.

Uses advised against:

Uses other than those recommended.

1.3 Details of the supplier of the safety data sheet.

Company: ESTABLECIMIENTOS BAIXENS S.L.

Address: Pol. Industrial Moncarra, s/nº

City: 46230 ALGINET
Province: VALENCIA
Telephone: 96 175 08 34
Fax: 96 175 93 92

E-mail: laboratorio@baixens.com

1.4 Emergency telephone number: 961 750 834 (Only available during office hours)

Toxicological Information Service (National Institute of Toxicology and Forensic Science) Information in Spanish (24h/365 days). Intended with the only purpose of providing medical assistance in an emergency situation.

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008: Skin Sens. 1: May cause an allergic skin reaction.

2.2 Label elements.

Labelling in accordance with Regulation (EU) No 1272/2008:

Pictograms:



Signal Word:

Warning

H statements:

H317 May cause an allergic skin reaction.

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Page 2 of 12 Revision date: 09/03/2021

P statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P321 Specific treatment.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of the content and/or its container as a hazardous waste, through an authorized waste management

company, in accordance with the current regulations.

EUH statements:

EUH208 Contains 2-methyl-2H-isothiazol-3-one, 2-octyl-2H-isothiazol-3-one . May produce an allergic reaction.

2.3 Other hazards.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not Applicable.

3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

| | | | (*)Classification - Regulation (EC) No 1272/2008 | |
|--|---|-------------|--|------------------------------------|
| Identifiers | Name | Concentrate | Classification | specific concentration limit |
| Index No: 603-096- 00-8 CAS No: 112-34-5 EC No: 203-961-6 Registration No: 01- 2119475104-44-XXXX | [1] 2-(2-butoxyethoxy)ethanol,diethylene glycol monobutyl ether | 0 - 10 % | Eye Irrit. 2, H319 | - |
| Index No: 616-212- 00-7 CAS No: 55406-53-6 EC No: 259-627-5 Registration No: 01- 2120762115-60-XXXX | 3-iodo-2-propynyl butylcarbamate, 3-iodoprop-2-yn-1-yl butylcarbamate | 0 - 0.25 % | Acute Tox. 3, H331 - Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 (M=1) - Eye Dam. 1, H318 - STOT RE 1, H372(laringe) - Skin Sens. 1, H317 | - |

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Page 3 of 12 Revision date: 09/03/2021

| Index No: 603-085- 00-8 CAS No: 52-51-7 EC No: 200-143-0 | 2-bromo-2-nitropropane-1,3-diol,bronopol (INN) | 0 - 0.25 % | Acute Tox. 4, H312 - Acute Tox. 4, H302 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 - Eye Dam. 1, H318 - STOT SE 3, H335/H336 - Skin Irrit. 2, H315 | - |
|--|---|----------------|---|--|
| Index No: 613-088- 00-6 CAS No: 2634-33-5 EC No: 220-120-9 Registration No: 01- 2120761540-60-XXXX | 1,2-benzisothiazol-3(2H)-one,1,2-benzisothiazolin-3-one | 0 - 0.05 % | Aquatic Acute 1, H400 - Eye Dam. 1, H318 - Skin Sens. 1, H317 | Skin Sens. 1, H317: C ≥ 0,05 % |
| CAS No: 2682-20-4 EC No: 220-239-6 Registration No: 01- 2120764690-50-XXXX | 2-methyl-2H-isothiazol-3-one | 0.0015 - 0.1 % | Acute Tox. 2, H330 - Acute Tox. 3, H311 - Acute Tox. 3, H301 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 - Skin Corr. 1B, H314 - Skin Sens. 1A, H317 | Skin Sens. 1, H317: C ≥ 0,0015 % |
| Index No: 613-112- 00-5 CAS No: 26530-20-1 EC No: 247-761-7 Registration No: 01- 2120768921-45-XXXX | 2-octyl-2H-isothiazol-3-one | 0 - 0.05 % | Acute Tox. 3, H311 - Acute Tox. 3, H331 - Acute Tox. 4, H302 - Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Eye Dam. 1, H318 - Skin Corr. 1B, H314 - Skin Sens. 1, H317 | Skin Sens. 1, H317: C ≥ 0,05 % |

^(*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

^[1] Substance with a Community workplace exposure limit (see section 8.1).

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Page 4 of 12

Version: 3

Revision date: 09/03/2021

Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. If the person vomits, clear the respiratory tract. Keep the person comfortable. Turn him/her over to the left side and stay there while waiting for medical care.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the mixture.

Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

6.2 Environmental precautions.

Prevent the contamination of drains, surface or subterranean waters, and the ground.

6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Page 5 of 12

Revision date: 09/03/2021

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

Professional application of the product on the supports indicated in the Technical Data Sheet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters.

Work exposure limit for:

| Name | CAS No. | Country | Limit value | ppm | mg/m³ |
|---|----------|-----------------------|-------------|-----|-------|
| | 112-34-5 | European Union [1] | Eight hours | 10 | 67,5 |
| 2-(2-butoxyethoxy)ethanol,diethylene glycol monobutyl ether | | | Short term | 15 | 101,2 |
| | | United | Eight hours | 10 | 67,5 |
| | | Kingdom [2] | Short term | 15 | 101,2 |

^[1] According both Binding Occupational Esposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

Concentration levels DNEL/DMEL:

| Name | | DNEL/DMEL | Туре | Value |
|--------------------------------------|--------|-----------|---|----------------------|
| 2-(2-butoxyethoxy)ethanol,diethylene | glycol | DNEL | Inhalation, Long-term, Local effects | 67,5 |
| monobutyl ether | | (Workers) | | (mg/m³) |
| CAS No: 112-34-5 | | DNEL | Inhalation, Long-term, Systemic effects | 67,5 |
| EC No: 203-961-6 | | (Workers) | , | (mg/m ³) |

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

^[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adobted by Health and Safety Executive.

The product does NOT contain substances with Biological Limit Values.

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Page 6 of 12 Revision date: 09/03/2021

Concentration: 100 % Uses: **Breathing protection:** If the recommended technical measures are observed, no individual protection equipment is necessary. Hand protection: PPE: Work gloves. Characteristics: «CE» marking, category I. EN 374-1, En 374-2, EN 374-3, EN 420 CEN standards: Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or Maintenance: Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations: Always use with clean, dry hands. Breakthrough time Material thickness Material: PVC (polyvinyl chloride) > 480 0.35 (min.): (mm): Eye protection: If the product is handled correctly, no individual protection equipment is necessary. Skin protection: PPF: Protective clothing. «CE» marking, category II. Protective clothing should not be too tight or loose in Characteristics: order not to obstruct the user's movements. CEN standards: EN 340 In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance: the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use Work footwear. «CE» marking, category II. Characteristics: CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance: not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any Observations: injury resulting from an accident

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance: Liquid Colour: Characteristic Odour: Characteristic Odour threshold: N.A./N.A.

pH: 6.0-8.0

Melting point:N.A./N.A. Boiling Point: N.A./N.A. Flash point: N.A./N.A. Evaporation rate: N.A./N.A.

Inflammability (solid, gas): N.A./N.A. Lower Explosive Limit: N.A./N.A. Upper Explosive Limit: N.A./N.A. Vapour pressure: N.A./N.A. Vapour density: N.A./N.A.

Relative density: 1.01±0.07 gr/cm3

Solubility: N.A./N.A. Liposolubility: N.A./N.A. Hydrosolubility: N.A./N.A.

Partition coefficient (n-octanol/water): N.A./N.A.

Auto-ignition temperature: N.A./N.A. Decomposition temperature: N.A./N.A. Viscosity: (A/6/10): 45000-68000 cP Explosive properties: N.A./N.A. Oxidizing properties: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Page 7 of 12

Version: 3

Revision date: 09/03/2021

9.2 Other information.

Dropping point: N.A./N.A. Blink: N.A./N.A.

Kinematic viscosity: N.A./N.A.

N.A./N.A.= Not Available/Not Applicable due to the nature of the product

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity.

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

10.4 Conditions to avoid.

Avoid any improper handling.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

SECTION 11: TOXICOLOGICAL INFORMATION.

11.1 Information on toxicological effects.

Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin.

Splatters in the eyes can cause irritation and reversible damage.

Toxicological information about the substances present in the composition.

| Name | Acute toxicity | | | | |
|---|----------------|--|-----------------|----------------------------------|--|
| Name | Туре | Test | Kind | Value | |
| | Oral | LD50 | Rat | 5660 mg/kg bw [1] | |
| | | [1] Dow Chemical Company Reports. Vol. MSD-41 | | | |
| 2-(2-butoxyethoxy)ethanol,diethylene glycol | | LD50 | Rabbit | 2700 mg/kg bw [1] | |
| monobutyl ether | Dermal | [1] Journal of the American College of Toxicology. Vol. 12, Pg.139, 1993 | | | |
| CAS No: 112-34-5 EC No: 203-961-6 | Inhalation | | | | |
| | | LD50 | Rat | 1020 mg/kg bw [1] | |
| 1,2-benzisothiazol-3(2H)-one,1,2-benzisothiazolin-3-one | Oral | [1] Pharma 385, 1971 | acological Rese | arch Communications. Vol. 3, Pg. | |
| Delizisotiliazoiii1-5-orie | Dermal | | | | |
| CAS No: 2634-33-5 EC No: 220-120-9 | Inhalation | | | | |

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Page 8 of 12 Revision date: 09/03/2021

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Based on available data, the classification criteria are not met.

j) aspiration hazard;

Not conclusive data for classification.

SECTION 12: ECOLOGICAL INFORMATION.

12.1 Toxicity.

| Name | Ecotoxicity | | | | |
|--|-----------------------|---|---|---|--|
| Name | Туре | Test | Kind | Value | |
| 2-(2-butoxyethoxy)ethanol,diethylene glycol monobutyl ether | Fish | LC50 Fish 1650 mg/l (96 h) [1] [1] Dawson, G.W., A.L. Jennings, D. Drozdowski, and E. Rider 1977. The Acute Toxicity of 47 Industrial Chemicals to Fresh and Saltwater Fishes. J.Hazard.Mater. 1(4):303-318 (OECDG Data File) | | | |
| | Aquatic invertebrates | | , | | |
| CAS No: 112-34-5 EC No: 203-961-6 | Aquatic plants | | | | |
| 1,2-benzisothiazol-3(2H)-one,1,2-benzisothiazolin-3-one | Fish | Sundstrom Pesticide Fo Organisms, Harpacticoi | 1979. The Acute To ormulations Against , the Bleak (Alburnus d Nitocra spinipes. (| | |
| benzisotniazolin-3-one | Aquatic invertebrates | EC50 [1] Office of Database (| Crustacean of Pesticide Programs Formerly: Environm Environmental Fate a | 4,4 mg/l (48 h) [1] s 2000. Pesticide Ecotoxicity ental Effects Database nd Effects Division, U.S.EPA, | |
| CAS No: 2634-33-5 EC No: 220-120-9 | Aquatic plants | | | | |
| 2-methyl-2H-isothiazol-3-one | Fish | LC50 | Fish | 0,19 mg/l (96 h) [1] | |

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Revision date: 09/03/2021

[1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C 0,056 mg/l (48 h) [1] LC50 Crustacean Aquatic [1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity invertebrates Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C Aquatic plants CAS No: 2682-20-4 EC No: 220-239-6

12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present. No information is available about persistence and degradability of the product.

12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

| Name | Bioaccumulation | | | |
|---|-----------------|-----|-------|----------|
| Name | Log Pow | BCF | NOECs | Level |
| 2-(2-butoxyethoxy)ethanol,diethylene glycol monobutyl ether | 0,56 | - | - | Very low |
| CAS No: 112-34-5 EC No: 203-961-6 | 5,55 | | | 16.7.6.1 |

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

Page 9 of 12

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Page 10 of 12

Version: 3

Revision date: 09/03/2021

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR: Transportation is not dangerous. IMDG: Transportation is not dangerous.

ICAO/IATA: Transportation is not dangerous.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

14.6 Special precautions for user.

,Transportation is not dangerous.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

Transportation is not dangerous.

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

VOC content: 4.87 g/l

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

| H301 | Toxic if swallowed. |
|------|------------------------------|
| H302 | Harmful if swallowed. |
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns ar |

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Version: 3 Page 11 of 12

Revision date: 09/03/2021

H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H335/H336 May cause respiratory irritation / May cause drowsiness or dizziness H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Classification codes:

Acute Tox. 2 : Acute toxicity (Inhalation), Category 2 Acute Tox. 3 : Acute toxicity (Dermal), Category 3 Acute Tox. 3 : Acute toxicity (Inhalation), Category 3 Acute Tox. 3 : Acute toxicity (Oral), Category 3 Acute Tox. 4 : Acute toxicity (Dermal), Category 4 Acute Tox. 4 : Acute toxicity (Oral), Category 4

Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1

Eye Dam. 1 : Serious eye damage, Category 1

Eye Irrit. 2: Eye irritation, Category 2

STOT RE 1 : Specific target organ toxicity following a repeated exposure, Category 1 STOT SE 3 : Specific target organ toxicity following a single exposure, Category 3

Skin Corr. 1B: Skin Corrosive, Category 1B Skin Irrit. 2: Skin irritant, Category 2 Skin Sens. 1: Skin sensitiser, Category 1 Skin Sens. 1A: Skin sensitiser, Category 1A

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

BCF: Bioconcentration factor.

CEN: European Committee for Standardization.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be

considered a tolerable minimum.

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not

anticipated.

EC50: Half maximal effective concentration. PPE: Personal protection equipment. LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

Log Pow: Logarithm of the partition octanol-water. NOEC: No observed effect concentration.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2015/830. Regulation (EC) No 1907/2006. Regulation (EU) No 1272/2008.

(in accordance with Regulation (EU) 2015/830)

COLBAIX FIBERCOLLE GEL



Page 12 of 12

Version: 3 Revision date: 09/03/2021

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.