(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 1 of 10

**Revision date: 12/02/2025** 

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: CONCRETE RESIVAL

Product Code: PX-11

Internal Code: PX11NF91A23

UFI: **8U70-Y03V-S006-0EWD** 

### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Aqueous adherent solution that acts as a bridge over absorbent surfaces.

We recommend to read its Technical Data Sheet carefully.

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: ESTABLECIMIENTOS BAIXENS S.L.

Address: Pol. Industrial Moncarra, s/nº

 City:
 46230 - ALGINET

 Province:
 VALENCIA

 Telephone:
 96 175 08 34

 Fax:
 96 175 93 92

E-mail: <u>laboratorio@baixens.com</u>
Web: <u>www.baixens.com</u>

**1.4 Emergency telephone number:** 961 750 834 (Only available during office hours; Monday-Friday; 08:00-18:00) Toxicological Information Service (National Institute of Toxicology and Forensic Science) Telephone: +34 91 5620420. Information in Spanish (24h/365 days). Intended with the only purpose of providing medical assistance in an emergency situation.

### **SECTION 2: HAZARDS IDENTIFICATION.**

# 2.1 Classification of the substance or mixture.

In accordance with Regulation (EC) No 1272/2008:

Eye Irrit. 2: Causes serious eye irritation.

Skin Sens. 1: May cause an allergic skin reaction.

### 2.2 Label elements.

# Labelling in accordance with Regulation (EC) No 1272/2008:

Pictograms:



Signal Word:

# Warning

### Hazard statements:

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 2 of 10

**Revision date: 12/02/2025** 

#### Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P321 Specific treatment.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of the contentando/or its container as a hazardous waste, through an authorized waste management

company, in accordance with the current regulations.

#### EUH statements:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

#### Contains:

2-methylisothiazol-3(2H)-one

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.

The mixture does not contain substances classified as vPvB.

The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Not applicable.

# 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

			(*)Classification - Regulation (EC) No 1272/2008	
Identifiers	Name	Concentrate	Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 25213-24-5	Ethenol, homopolymer	10 - 25 %	Eye Irrit. 2, H319	-
Index No: 603-085- 00-8 CAS No: 52-51-7 EC No: 200-143-0	bronopol (INN), 2-bromo-2-nitropropane1,3-diol	≤ 0.03%	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H302 - Aquatic Acute 1, H400 (M=10) - Eye Dam. 1, H318 - STOT SE 3, H335 - Skin Irrit. 2, H315	-
Index No: 613-088- 00-6 CAS No: 2634-33-5 EC No: 220-120-9 Registration No: 01- 2120761540-60-XXXX	1,2-benzisothiazol-3(2H)-one,1,2-benzisothiazolin-3-one	< 0.01 %	Acute Tox. 4 *, H302 - Aquatic Acute 1, H400 - Eye Dam. 1, H318 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	Skin Sens. 1, H317: C ≥ 0,05 %

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 3 of 10

Revision date: 12/02/2025

Index No: 613-326- 00-9 CAS No: 2682-20-4 EC No: 220-239-6 Registration No: 01- 2120764690-50-XXXX	2-methylisothiazol-3(2H)-one	< 0.01 %	Acute Tox. 2, H330 - Acute Tox. 3, H311 - Acute Tox. 3, H301 - Aquatic Acute 1, H400 (M=10) - Aquatic Chronic 1, H410 (M=1) - Eye Dam. 1, H318 - Skin Corr. 1B, H314 - Skin Sens. 1A, H317, EUH071	Skin Sens. 1A, H317: C ≥ 0,0015 %
---	------------------------------	----------	--	---

<sup>(\*)</sup> The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

#### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance. Dont let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. NEVER use solvents or thinners.

#### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. NEVER induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Cover the affected area with a dry sterile bandage. Protect the affected area from pressure or friction.

#### **SECTION 5: FIREFIGHTING MEASURES.**

The product is NOT classified as flammable, in case of fire the following measures should be taken:

### 5.1 Extinguishing media.

# Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

#### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

### 5.2 Special hazards arising from the substance or mixture.

#### Special risks

Exposure to combustion or decomposition products can be harmful to your health.

<sup>\*</sup> See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

(in accordance with Regulation (EU) 2020/878)

# CONCRETE RESIVAL



Version 1 Date of compilation: 12/02/2025 Page 4 of 10

Revision date: 12/02/2025

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

# 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

# **SECTION 7: HANDLING AND STORAGE.**

### 7.1 Precautions for safe handling.

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 25 ° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end use(s).

Application of the product in the conditions and supports indicated in the FT of the same. Uses specified in section 1.2.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

### 8.2 Exposure controls.

### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 5 of 10

Revision date: 12/02/2025

Concentration: 100 % **Uses: Adherent solution Breathing protection:** If the recommended technical measures are observed, no individual protection equipment is necessary. Hand protection: PPE: Work aloves. Characteristics: «CE» marking, category I. CEN standards: EN 374-1, En 374-2, EN 374-3, EN 420 Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or Maintenance: adhesives. Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Observations: Always use with clean, dry hands. Breakthrough time Material thickness 0,35 Material: PVC (polyvinyl chloride) > 480 (min.): (mm): Eye protection: Face shield. PPE: Characteristics: «CE» marking, category II. Face and eye protector against splashing liquid. EN 165, EN 166, EN 167, EN 168 CEN standards: Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions. Make sure that mobile parts move Maintenance: smoothly. Face shields should offer a field of vision with a dimension in the central line of, at least, 150 mm Observations: vertically once attached to the frame. Skin protection: Protective clothing. PPE: «CE» marking, category II. Protective clothing should not be too tight or loose in Characteristics: order not to obstruct the user's movements. EN 340 CEN standards: In order to guarantee uniform protection, follow the washing and maintenance instructions provided by Maintenance: the manufacturer. The protective clothing should offer a level of comfort in line with the level of protection provided in Observations: terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use. Work footwear. PPF: Characteristics: «CE» marking, category II. CEN standards: EN ISO 13287, EN 20347 This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should Maintenance: not be used by other people. Work footwear for professional use includes protection elements aimed at protecting users against any Observations:

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

injury resulting from an accident

#### 9.1 Information on basic physical and chemical properties.

Physical state: Liquid Colour: COLORLESS

Odour: Not applicable/Not available due to the nature/properties of the product

Odour threshold: Not applicable/Not available due to the nature/properties of the product Melting point: Not applicable/Not available due to the nature/properties of the product Freezing point: Not applicable/Not available due to the nature/properties of the product

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Flammability: Not applicable/Not available due to the nature/properties of the product Lower explosion limit: Not applicable/Not available due to the nature/properties of the product

Upper explosion limit: Not applicable/Not available due to the nature/properties of the product

Flash point: > 60 °C

Auto-ignition temperature: Not applicable/Not available due to the nature/properties of the product Decomposition temperature: Not applicable/Not available due to the nature/properties of the product pH: 6.5-8.5

Kinematic viscosity: Not applicable/Not available due to the nature/properties of the product

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 6 of 10

Revision date: 12/02/2025

Solubility: Not applicable/Not available due to the nature/properties of the product Hydrosolubility: Not applicable/Not available due to the nature/properties of the product Liposolubility: Not applicable/Not available due to the nature/properties of the product

Partition coefficient n-octanol/water (log value): Not applicable/Not available due to the nature/properties of the product

Vapour pressure: Not applicable/Not available due to the nature/properties of the product Absolute density: Not applicable/Not available due to the nature/properties of the product

Relative density: 1.02±0.07 gr/cm3

Relative vapour density: Not applicable/Not available due to the nature/properties of the product Particle characteristics: Not applicable/Not available due to the nature/properties of the product

#### 9.2 Other information

Viscosity: : (A/2/10): 1000-2500 cP

Explosive properties: Not applicable/Not available due to the nature/properties of the product Oxidizing properties: Not applicable/Not available due to the nature/properties of the product Dropping point: Not applicable/Not available due to the nature/properties of the product

Blink: Not applicable/Not available due to the nature/properties of the product

% Solid content: 9-14%

# **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

# 10.4 Conditions to avoid.

Avoid any improper handling.

# 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

### **SECTION 11: TOXICOLOGICAL INFORMATION.**

IRRITANT MIXTURE. Splashes in the eyes can cause irritation.

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

Repeated or prolonged eye contact may cause stinging, tearing, redness, swelling, and blurred vision.

# Toxicological information about the substances present in the composition.

Name	Acute toxicity			
Name	Type	Test	Kind	Value
		LD50	Rat	1020 mg/kg bw [1]
1,2-benzisothiazol-3(2H)-one,1,2-benzisothiazolin-3-one	Oral	[1] Pharmacological Research Communications. Vol. 3, Pg. 385, 1971		
Delizisou liazolii 1-3-orie	Dermal			
CAS No: 2634-33-5 EC No: 220-120-9	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

### b) skin corrosion/irritation;

Based on available data, the classification criteria are not met.

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 7 of 10

**Revision date: 12/02/2025** 

c) serious eye damage/irritation;

Product classified:

Eye irritation, Category 2: Causes serious eye irritation.

d) respiratory or skin sensitisation;

Product classified:

Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Based on available data, the classification criteria are not met.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

#### 11.2 Information on other hazards.

# **Endocrine disrupting properties**

This product does not contain components with endocrine-disrupting properties with effects on human health.

### Other information

There is no information available on other adverse health effects.

# **SECTION 12: ECOLOGICAL INFORMATION.**

# 12.1 Toxicity.

Name	Ecotoxicity				
Name	Туре	Test	Kind	Value	
1,2-benzisothiazol-3(2H)-one,1,2-benzisothiazolin-3-one	Fish	LC50 Fish 10 mg/l (96 h) [1]  [1] Linden, E., B.E. Bengtsson, O. Svanberg, and G. Sundstrom 1979. The Acute Toxicity of 78 Chemicals and Pesticide Formulations Against Two Brackish Water Organisms, the Bleak (Alburnus alburnus) and the Harpacticoid Nitocra spinipes. Chemosphere 8(11/12):843-851 (Author Communication Used) (OECDG Data File)			
Delizisou liazolii 1-3-oi le	Aquatic invertebrates	EC50 Crustacean 4,4 mg/l (48 h) [1] [1] Office of Pesticide Programs 2000. Pesticide Ecotoxicity Database (Formerly: Environmental Effects Database (EEDB)). Environmental Fate and Effects Division, U.S.EPA, Washington, D.C			
CAS No: 2634-33-5 EC No: 220-120-9	Aquatic plants				

# 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

No information is available about persistence and degradability of the product.

-Continued on next page.-

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 8 of 10

**Revision date: 12/02/2025** 

### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

#### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

#### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

#### 12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS.**

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

# **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number or ID number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

# 14.3 Transport hazard class(es).

Transportation is not dangerous.

# 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

# 14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 9 of 10

Revision date: 12/02/2025

### **SECTION 15: REGULATORY INFORMATION.**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Volatile organic compound (VOC)

Product subcategory: **Primers, water-borne** 

Phase I\* (from 1.1.2007): **50** Phase II\* (from 1.1.2010): **30** 

\* g/l ready to use

H301

VOC content (g/l): <30 g/l

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **SECTION 16: OTHER INFORMATION.**

Complete text of the H phrases that appear in section 3:

Toxic if swallowed.

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects

Complete text of the EUH phrases that appear in section 3:

EUH071 Corrosive to the respiratory tract.

# Classification codes:

Acute Tox. 2 : Acute toxicity (Inhalation), Category 2 Acute Tox. 3 : Acute toxicity (Dermal), Category 3 Acute Tox. 3 : Acute toxicity (Oral), Category 3 Acute Tox. 4 : Acute toxicity (Dermal), Category 4 Acute Tox. 4 : Acute toxicity (Oral), Category 4

Aquatic Acute 1: Acute toxicity to the aquatic environment, Category 1 Aquatic Chronic 1: Chronic effect to the aquatic environment, Category 1

Eye Dam.  ${\bf 1}$  : Serious eye damage, Category  ${\bf 1}$ 

Eye Irrit. 2 : Eye irritation, Category 2

STOT SE 3: Specific target organ toxicity following a single exposure, Category 3

Skin Corr. 1B: Skin Corrosive, Category 1B Skin Irrit. 2: Skin irritant, Category 2

(in accordance with Regulation (EU) 2020/878)

# **CONCRETE RESIVAL**



Version 1 Date of compilation: 12/02/2025 Page 10 of 10

Revision date: 12/02/2025

Skin Sens. 1 : Skin sensitiser, Category 1 Skin Sens. 1A : Skin sensitiser, Category 1A

Changes regarding to the previous version:

- Changes in the information of the supplier (SECTION 1.3).
- Change in the hazard classification (SECTION 2.1).
- Removal of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Addition of precautionary statements/hazard statements/pictograms/signal word (SECTION 2.2).
- Changes in the composition of the product (SECTION 3.2).
- Changes in the composition of the product (SECTION 3.2).
- Changes in the composition of the product (SECTION 3.2).
- Modifications in the first aid measures (SECTION 4.1).
- Modification of the medical attention measures (SECTION 4.3).
- Modifications in the handling and storage precautions (SECTION 7.1).
- Modifications in the handling and storage precautions (SECTION 7.2).
- Elimination of exposure data (SECTION 8.1).
- Modification in the values of the physical and chemical properties (SECTION 9).
- Elimination of toxicity values (SECTION 11.1).
- Addition of ecotoxicity values (SECTION 11.1).
- Change in the hazard classification (SECTION 11.1).
- Elimination of ecological information values (SECTION 12.1).
- Addition of ecological information values (SECTION 12.1).
- Elimination of ecological information values (SECTION 12.3).
- Elimination of abbreviations and acronyms (SECTION 16).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data
Health hazards Calculation method
Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

CEN: European Committee for Standardization. EC50: Half maximal effective concentration. PPE: Personal protection equipment. LC50: Lethal concentration, 50%.

LD50: Lethal dose, 50%.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/ Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.