



BAIXENS

baixens.com

*Testing the
difference*

PEINTURES SPECIFIQUES

SPECIFIC PAINTS

Solutions décoratives
et techniques •

*Decorative and
functional solutions •*

- RX-529 | Peinture pour piscines
Paint for swimming pools

by

Rualaix®



Toujours avant-gardiste en matière de réhabilitation et de rénovation de l'habitat, Baixens formule des produits d'excellente qualité, adaptés aux diverses problématiques que rencontrent les professionnels.

RX-529 Rualaix Peinture pour Piscines est une peinture acrylique idéale pour peindre et décorer les piscines en ciment, béton, pierre ou déjà recouvertes par des peintures au caoutchouc chloré et acryliques, à condition que celles-ci soient parfaitement saines et bien adhérentes.

Always at the forefront of solutions for rehabilitation and refurbishment, at Baixens we formulate excellent quality products and we adapt to each type of work so that the professional finds a solution to each problem.

RX-529 Rualaix Paint for Swimming Pools is a water-based acrylic paint for decorating and painting swimming pools with cement, concrete, stone or water-based paint or chlorine rubber painted backgrounds as long as they are healthy and well adhered to the support.



RX-529 Peintures pour PISCINES

Paint for SWIMMING POOLS

Peinture acrylique pour la décoration et la mise en peinture des piscines.

IDEAL POUR

- La mise en peinture et la décoration des piscines.
- La mise en peinture des supports extérieurs.

- Agréable à appliquer.
- Haut pouvoir couvrant.
- Compatible avec les supports alcalins.
- Faible odeur.
- Excellente lavabilité.
- Rendement important.
- Très adhérente.
- Contient un additif anti-moisissures.

5_{kg} | 15_{kg}



Usage
INT-EXT



Produit à
L'EAU



Rendement
8-10 m²/l

Water-based synthetic paint for decorating and painting swimming pools.

IDEAL FOR

- *Painting and decorating swimming-pools*
- *Painting of exterior substrates).*

- *Easy to work*
- *Highly covering*
- *Resistance to substrate alkalinity*
- *Low odour*
- *Highly washable*
- *Easy to repaint*
- *Great performance*
- *Colours: white, blue, aquamarine*
- *Strong adhesion*
- *Contains ANTI-MOLD preservative*

5_{kg} | 15_{kg}



Use
INT-EXT



WATER-BORNE
Product



Yield
8-10 m²/l

by
Rualaix[®]

Mise en œuvre :


- Appliquer une première couche sur l'ensemble de la surface de la piscine, puis après séchage complet (minimum 8 heures), appliquer ensuite une seconde couche de finition.
- Peut être appliquée à la brosse, au rouleau ou au pistolet Airless.
- Le support doit être propre, dur, sain, sec, bien adhérent, non friable, et exempt de toute présence de salpêtre, moisissures, micro-organismes, graisses, huiles de décoffrages, et en règle générale de toute matière pouvant nuire à l'adhérence du produit au support.




How to Use

- Apply a first coat of the product on the surface of the swimming-pool and once dry (minimum 8 hours), apply a finishing coat.
- Application to be carried out by the use of a brush, roller or airless gun.
- Protect the areas that are not to be painted (the crown of the swimming-pool, steps, skimmer,...) using tape or paper. Remove once finished and before the paint dries in order to avoid it lifting.






BLEU / BLUE



TURQUOISE / AQUAMARINE



BLANC / WHITE



BAIXENS
baixens.com

*Testing the
difference*

BAIXENS ESPAÑA
Centro Certificado Bureau Veritas

Pol. Ind. Moncarra, s/n
46230 Alginet (Valencia)
T.: 961.750.834
F.: 961.752.471

BAIXENS FRANCE

14, Rue du Pont Neuf
75001 Paris (France)
T.: 0.800.90.14.37
F.: 0.800.90.20.52

BAIXENS ITALIA / BULOVA

Via Pietro Nenni, 36
46019 Cicognara - MN (Italy)
T.: 0375/88181/790016 - F.: 0375/88831
www.bulova-pennelli.com

BAIXENS PORTUGAL / ARGATINTAS

Avenida Portas do Minho, N°711
4760 - 706 Ribeirão,
V.N. Famalicão
T.: 252 910 030 - www.argatintas.pt

ISO 9001
ISO 14001
OHSAS 18001

BUREAU VERITAS
Certification

